



SA-160BT

Order No.: 25.6010

EUR 159,90

RRP *

PRODUCTINFOS

Mini stereo amplifier, 2 x 30 W,

with Bluetooth interface, NFC and remote control.

- Integrated hi-fi audio amplifier
- For speakers with an impedance of 8 Ω
- Volume control with integrated source selector function, LED indicator
- Near Field Communication (NFC)
- Gold-plated speaker terminals
- 1 stereo input via RCA jacks L/R
- 1 line output via 3.5 mm stereo jack
- Fixed antenna
- Metal housing
- Power supply via supplied PSU

TECHNICAL SPECIFICATIONS

Channels	2
Zones	-
Power rating	-
Power rating at 2 Ω	-
Power rating at 4 Ω	-
Power rating at 8 Ω	2 x 30 W
Power rating at 100 V	-
Power rating with 4 Ω bridged operation	-
Power rating with 8 Ω bridged operation	-
Peak music power output (P_{MAX})	2 x 60 W
Output impedance	
Inputs	660 mV/10 k Ω
Frequency range	20-20,000 Hz
Crossover network	-
Crossover frequency	-
Integrated limiter	-
Equalizer bass	-
Equalizer midrange	-
Equalizer treble	-
S/N ratio	> 99 dBA
Crosstalk attenuation	-
THD	-
Power supply	via suppl. PSU
Mains voltage	-
Mains frequency	-
Power consumption, operation	-
Power consumption, standby	-
Standby current	100 mA
Alternative operating voltage	-
Alternative power supply	-
Admiss. ambient temp.	0-40 °C
Dimensions	150 x 49 x 122 mm
Width	150 mm
Height	49 mm

Depth	122 mm
Rack spaces, RS	-
Weight	610 g
Connections	1 x RCA L/R (line), 4 x spring-load. speaker term.(speakers)

* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.