



## SP-38/300PA

Order No.: 10.3380

**EUR 219,00**

RRP \*

### PRODUCTINFOS

#### Sheet Steel Basket Series of the Blue Component Speakers

Classic features of excellent manufacturing quality for professional applications. Blue lacquered, very robust basket, stable paper cone, high efficiency and very high pulse power capability.

#### PA bass speaker, 300 W, 8 $\Omega$

- Exceptionally high efficiency
- Optimum balance
- For bass and bass-midrange applications in very compact bass-reflex cabinets
- For all PA applications

This speaker is almost a new standard among the high-quality 15" PA speakers.

## TECHNICAL SPECIFICATIONS

Impedance (Z)	8 $\Omega$
Operating voltage	-
Frequency range	f3-4,000 Hz
Resonant frequency (fs)	48 Hz
Rec. crossov. frequ. (fmax.) (12 dB/oct.)	-
Music power ( $P_{MAX}$ )	600 $W_{MAX}$
Power rating ( $P_{RMS}$ )	300 $W_{RMS}$
Sensitivity	99 dB
Max. rated SPL	-
Max. voltage	-
Radiation angle	-
Suspension compl. (Cms)	0.21 mm/N
Moving mass (Mms)	78 g
Mech. Q factor (Qms)	5.68
Electr. Q factor (Qes)	0.24
Total Q factor (Qts)	0.23
Equivalent volume (Vas)	213 l
DC resistance (Re)	5.9 $\Omega$
Force factor (BxL)	22.0 Tm
Voice coil induct. (Le)	1.2 mH
Voice coil diameter	76 mm
Voice coil former	Kapton
Linear excursion ( $X_{MAX}$ )	$\pm 4$ mm
Eff. cone area (Sd)	855 cm <sup>2</sup>
Magnet weight	2.6 kg
Magnet diameter	$\varnothing$ 200 mm
Mounting cutout	$\varnothing$ 357 mm
Mounting depth	158 mm
Mounting hole diameter	-
Hole spacing X-axis	-
Hole spacing Y-axis	-
Dimensions	$\varnothing$ 390 mm x 166 mm
Outside diameter	$\varnothing$ 390 mm
Width	390 mm

Height	390 mm
Depth	166 mm
Admiss. ambient temp.	0-40 °C
Weight	8.5 kg
Quantity	1

\* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.