



## SPH-130

Order No.: 10.0870

**EUR 62,90**

RRP \*

### PRODUCTINFOS

#### Hi-fi bass-midrange speaker, 55 W, 8 Ω

- Paper cone with special coating
- Rubber surround with optimised profile
- Extra wide and linear radiation range, free of resonance
- Perfect components for modern 2-way combinations up to D'Appolito arrangements, also for use as a midrange speaker in multi-way speaker systems

**A design which has become classic by now and materials which seem to be basic but of perfect workmanship, thus allowing for an excellent sound!**

### TECHNICAL SPECIFICATIONS

Impedance (Z) 8 Ω

Operating voltage

Frequency range	f3-6,000 Hz
Resonant frequency (fs)	38 Hz
Rec. crossov. frequ. (fmax.) (12 dB/oct.)	
Music power (P <sub>MAX</sub> )	80 W <sub>MAX</sub>
Power rating (P <sub>RMS</sub> )	55 W <sub>RMS</sub>
Sensitivity	89 dB
Max. rated SPL	-
Max. voltage	-
Radiation angle	-
Suspension compl. (Cms)	2.14 mm/N
Moving mass (Mms)	8.2 g
Mech. Q factor (Qms)	1.91
Electr. Q factor (Qes)	0.39
Total Q factor (Qt)	0.32
Equivalent volume (Vas)	22 l
DC resistance (Re)	5.7 Ω
Force factor (BxL)	5.4 Tm
Voice coil induct. (Le)	0.5 mH
Voice coil diameter	25 mm
Voice coil former	aluminium
Linear excursion (X <sub>MAX</sub> )	±2 mm
Eff. cone area (Sd)	80 cm <sup>2</sup>
Magnet weight	230 g
Magnet diameter	
Mounting cutout	Ø 129mm
Mounting depth	65 mm
Mounting hole diameter	
Hole spacing X	
Hole spacing Y	
Dimensions	145 x 145 x 65 mm
Outside diameter	
Width	
Height	
Depth	
Admiss. ambient temp.	
Weight	0.75 kg

**Quantity**

\* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.