



## SPH-200CTC

Order No.: 10.1810

**EUR 124,90**

RRP \*

### PRODUCTINFOS

**Hi-fi bass speaker and subwoofer, 2 x 60 W, 2 x 8  $\Omega$**

- Dual voice coil
- Diecast basket
- Carbon fibre cone
- Very high power capability in very small cabinets
- Ideal bass speaker for subwoofer applications of high requirements if there is little space available only

### TECHNICAL SPECIFICATIONS

Impedance (Z)	2 x 8 $\Omega$
Operating voltage	-
Frequency range	f3-4,000 Hz
Resonant frequency (fs)	22 Hz

Rec. crossov. frequ. (fmax.) (12 dB/oct.)	
Music power ( $P_{MAX}$ )	2 x 100 $W_{MAX}$
Power rating ( $P_{RMS}$ )	2 x 60 $W_{RMS}$
Sensitivity	88 dB
Max. rated SPL	-
Max. voltage	-
Radiation angle	-
Suspension compl. (Cms)	1.16 mm/N
Moving mass (Mms)	45 g
Mech. Q factor (Qms)	4.91
Electr. Q factor (Qes)	0.23
Total Q factor (Qts)	0.22
Equivalent volume (Vas)	75 l
DC resistance (Re)	2 x 6.8 $\Omega$ / 3.4 $\Omega$
Force factor (BxL)	9 Tm
Voice coil induct. (Le)	2 x 1.0 mH/ 1.0 mH
Voice coil diameter	50 mm
Voice coil former	Kapton
Linear excursion ( $X_{MAX}$ )	$\pm 3.75$ mm
Eff. cone area (Sd)	214 cm <sup>2</sup>
Magnet weight	840 g
Magnet diameter	
Mounting cutout	-
Mounting depth	-
Mounting hole diameter	
Hole spacing X	-
Hole spacing Y	-
Dimensions	$\varnothing$ 211 mm x 115 mm
Outside diameter	
Width	
Height	
Depth	
Admiss. ambient temp.	0-40 °C
Weight	2.8 kg
Quantity	

\* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.