



SPH-210

Order No.: 10.0890

EUR 94,90

RRP *

PRODUCTINFOS

High-quality Hi-fi Speakers

With polypropylene cone and very strong, ventilated magnetic systems. A sophisticated technology for versatile applications.

Hi-fi bass-midrange speaker, 150 W, 8 Ω

- For high-quality 2-way or 3-way speaker systems
- As a replacement speaker for older high-quality speaker systems

TECHNICAL SPECIFICATIONS

Impedance (Z)	8 Ω
Operating voltage	-
Frequency range	f3-4,000 Hz

Resonant frequency (fs)	28 Hz
Rec. crossov. frequ. (fmax.) (12 dB/oct.)	
Music power (P_{MAX})	100 W_{MAX}
Power rating (P_{RMS})	50 W_{RMS}
Sensitivity	90 dB
Max. rated SPL	-
Max. voltage	-
Radiation angle	-
Suspension compl. (Cms)	1.32 mm/N
Moving mass (Mms)	24.5 g
Mech. Q factor (Qms)	2.14
Electr. Q factor (Qes)	0.27
Total Q factor (Qts)	0.24
Equivalent volume (Vas)	81 l
DC resistance (Re)	6.5 Ω
Force factor (BxL)	10.3 Tm
Voice coil induct. (Le)	1.0 mH
Voice coil diameter	35.5 mm
Voice coil former	aluminium
Linear excursion (X_{MAX})	± 3.5 mm
Eff. cone area (Sd)	210 cm^2
Magnet weight	840 g
Magnet diameter	
Mounting cutout	-
Mounting depth	-
Mounting hole diameter	
Hole spacing X	-
Hole spacing Y	-
Dimensions	$\varnothing 210$ mm x 99 mm
Outside diameter	
Width	
Height	
Depth	
Admiss. ambient temp.	0-40 $^{\circ}C$
Weight	2.42 kg
Quantity	

* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.