



## SPH-390TC

Order No.: 10.1520

**EUR 209,00**

RRP \*

### PRODUCTINFOS

**Hi-fi subwoofer, 2 x 150 W, 2 x 8  $\Omega$**

- High-performance speaker with dual voice coil
- Robust sheet steel basket
- Carbonised PP cone
- Capable of a very great linear excursion
- Parameters for extra powerful and deep bass reproductions in bass-reflex cabinets

### TECHNICAL SPECIFICATIONS

Impedance (Z)	2 x 8 $\Omega$
Operating voltage	-
Frequency range	f3-1,500 Hz
Resonant frequency (fs)	23 Hz

Rec. crossov. frequ. (fmax.) (12 dB/oct.)	
Music power ( $P_{MAX}$ )	2 x 300 W <sub>MAX</sub>
Power rating ( $P_{RMS}$ )	2 x 150 W <sub>RMS</sub>
Sensitivity	96 dB
Max. rated SPL	-
Max. voltage	
Radiation angle	
Suspension compl. (Cms)	0.3 mm/N
Moving mass (Mms)	160 g
Mech. Q factor (Qms)	6.36
Electr. Q factor (Qes)	0.29
Total Q factor (Qts)	0.26
Equivalent volume (Vas)	284 l
DC resistance (Re)	2 x 6 $\Omega$ /3 $\Omega$
Force factor (BxL)	16.72 Tm
Voice coil induct. (Le)	2 x 1.3 mH/1.3 mH
Voice coil diameter	65.5 mm
Voice coil former	Kapton
Linear excursion ( $X_{MAX}$ )	$\pm 7$ mm
Eff. cone area (Sd)	850 cm <sup>2</sup>
Magnet weight	1.8 kg
Magnet diameter	
Mounting cutout	
Mounting depth	
Mounting hole diameter	
Hole spacing X	-
Hole spacing Y	-
Dimensions	
Outside diameter	
Width	
Height	
Depth	
Admiss. ambient temp.	0-40 °C
Weight	7.5 kg
Quantity	

\* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.